


















Adapter Reference Chart

ARM TYPES COVERED BLADE SERIES	Bayonet	Hook Arms		Pin		2 Screw Bayonet	P&H Arm	Pinch Tab Arm	Pinch Button Arm	Pinch Tab Button
		1/2"	3/4"	3/16"	1/4"					
20 Series	B3	B3, B79(3)	B3	B3	B3	L(1)	N/A	N/A	N/A	N/A
Sentinel 11 Series	CP2	CP2, CP3(3)	CP2	CP2	CP2	N/A	N/A	N/A	N/A	N/A
Signature 90 Series	B3	B3, B79(3)	B3	B3	B3	L	N/A	N/A	N/A	N/A
Winter 80 Series	B4	B4	B4	B4	B4	N/A	N/A	N/A	N/A	N/A
Beam Blade 17 Series	B3	B3	B3	B3	B3	N/A	PH2	PT2	TL2	N/A
Hybrid 40 Series	N/A	A	A	N/A	N/A	N/A	DC(2)	C	D	C

(1) Available Separately (2) Direct connection to arms, no adapter needed. (3) Included for restricted lift arms in sizes 18/20/22 only.

ITEM				CASE					MASTER					
Part #	Size (in)	Item UPC	Min Order/Case Qty	Case UPC	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lbs)	Master Qty	Master UPC	Master Length (in)	Master Width (in)	Master Height (in)	Master Weight (lbs)
14111	11	633749141118	10	10633749141115	20.5	5.0	4.5	3.0	100	20633749141112	21	11	24	30
14131	13	633749141316	10	10633749141313	20.5	5.0	4.5	3.0	100	20633749141310	21	11	24	30
14151	15	633749141514	10	10633749141511	20.5	5.0	4.5	3.5	100	20633749141518	21	11	24	35
14161	16	633749141613	10	10633749141610	20.5	5.0	4.5	3.5	100	20633749141617	21	11	24	35
14171	17	633749141712	10	10633749141719	20.5	5.0	4.5	3.5	100	20633749141716	21	11	24	35
14181	18	633749141811	10	10633749141818	20.5	5.0	4.5	4.0	100	20633749141815	21	11	24	40
14191	19	633749141910	10	10633749141917	22.5	5.0	4.5	4.0	100	20633749141914	23	11	24	40
14201	20	633749142016	10	10633749142013	22.5	5.0	4.5	4.0	100	20633749142010	23	11	24	40
14211	21	633749142115	10	10633749142112	26.5	5.0	4.5	4.0	100	20633749142119	27	11	24	40
14221	22	633749142214	10	10633749142211	26.5	5.0	4.5	4.5	100	20633749142218	27	11	24	45
14241	24	633749142412	10	10633749142419	26.5	5.0	4.5	4.5	100	20633749142416	27	11	24	45
14261	26	633749142610	10	10633749142617	30.5	5.0	4.5	5.0	50	20633749142614	31	11	24	50
14281	28	633749142818	10	10633749142815	30.5	5.0	4.5	5.0	50	20633749142812	31	11	24	50
20111	11	633749201119	10	10633749201116	21.5	9.0	2.5	2.4	100	20633749201113	22	19	14	33
20131	13	633749201317	10	10633749201314	21.5	9.0	2.5	2.5	100	20633749201311	22	19	14	35
20151	15	633749201515	10	10633749201512	21.5	9.0	2.5	3.0	100	20633749201519	22	19	14	37
20161	16	633749201614	10	10633749201611	21.5	9.0	2.5	3.1	100	20633749201618	22	19	14	40
20171	17	633749201713	10	10633749201710	21.5	9.0	2.5	3.4	100	20633749201717	22	19	14	42
20181	18	633749201812	10	10633749201819	21.5	9.0	2.5	3.5	100	20633749201816	22	19	14	44
20191	19	633749201911	10	10633749201918	23.5	9.0	2.5	3.6	100	20633749201915	24	19	14	46
20201	20	633749202017	10	10633749202014	23.5	9.0	2.5	3.8	100	20633749202011	24	19	14	47
20211	21	633749202116	10	10633749202113	27.3	9.0	2.5	4.3	100	20633749202110	28	19	14	48
20221	22	633749202215	10	10633749202212	27.3	9.0	2.5	4.4	100	20633749202219	28	19	14	51
20241	24	633749202413	10	10633749202410	27.3	9.0	2.5	4.5	100	20633749202417	28	19	14	52
20261	26	633749202611	10	10633749202618	31.0	9.0	2.5	5.9	50	20633749202615	31.5	10	14	33
20281	28	633749202819	10	10633749202816	31.0	9.0	2.5	6.1	50	20633749202813	31.5	10	14	33
11111	11	633749111111	10	10633749111118	20.5	5.0	4.5	3.1	100	20633749111115	21	11	24	33
11131	13	633749111319	10	10633749111316	20.5	5.0	4.5	3.1	100	20633749111313	21	11	24	35
11151	15	633749111517	10	10633749111514	20.5	5.0	4.5	3.7	100	20633749111511	21	11	24	37
11161	16	633749111616	10	10633749111613	20.5	5.0	4.5	3.8	100	20633749111610	21	11	24	40
11171	17	633749111715	10	10633749111712	20.5	5.0	4.5	3.8	100	20633749111719	21	11	24	42
11181	18	633749111814	10	10633749111811	20.5	5.0	4.5	4.2	100	20633749111818	21	11	24	44
11191	19	633749111913	10	10633749111910	22.5	5.0	4.5	4.3	100	20633749111917	23	11	24	47
11201	20	633749112019	10	10633749112016	22.5	5.0	4.5	4.4	100	20633749112013	23	11	24	50
11211	21	633749112118	10	10633749112115	26.5	5.0	4.5	4.7	100	20633749112112	27	11	24	52
11221	22	633749112217	10	10633749112214	26.5	5.0	4.5	4.8	100	20633749112211	27	11	24	53
11241	24	633749112415	10	10633749112412	26.5	5.0	4.5	5.0	100	20633749112419	27	11	24	55
11261	26	633749112613	10	10633749112610	30.5	5.0	4.5	5.5	100	20633749112617	31	11	24	66
11281	28	633749112811	10	10633749112818	30.5	5.0	4.5	6.4	100	20633749112815	31	11	24	66
90111	11	633749901111	10	10633749901111	21.3	9.0	2.5	3.2	100	20633749901111	22	19	14	37
90131	13	633749901316	10	10633749901313	21.3	9.0	2.5	2.9	100	20633749901310	22	19	14	32
90151	15	633749901514	10	10633749901511	21.3	9.0	2.5	3.3	100	20633749901518	22	19	14	30
90161	16	633749901613	10	10633749901610	24.0	9.0	2.5	3.6	100	20633749901617	25	19	14	40
90171	17	633749901712	10	10633749901719	24.0	9.0	2.5	3.9	100	20633749901716	25	19	14	45
90181	18	633749901811	10	10633749901818	24.0	9.0	2.5	4.3	100	20633749901815	25	19	14	45
90191	19	633749901910	10	10633749901917	26.0	9.0	2.5	4.4	100	20633749901914	27	19	14	46
90201	20	633749902016	10	10633749902013	26.0	9.0	2.5	4.5	100	20633749902010	27	19	14	48
90211	21	633749902115	10	10633749902112	30.0	9.0	2.5	4.6	100	20633749902119	31	19	14	51
90221	22	633749902214	10	10633749902211	30.0	9.0	2.5	4.6	100	20633749902218	31	19	14	54
90241	24	633749902412	10	10633749902419	30.0	9.0	2.5	5.1	100	20633749902416	31	19	14	55
90261	26	633749902610	10	10633749902617	30.0	9.0	2.5	5.7	50	20633749902614	31	10	14	35
90281	28	633749902818	10	10633749902815	30.0	9.0	2.5	5.8	50	20633749902812	31	10	14	35

CONVENTIONAL FRAME BLADE

	ITEM				CASE					MASTER					
	Part #	Size (in)	Item UPC	Min Order/Case Qty	Case UPC	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lbs)	Master Qty	Master UPC	Master Length (in)	Master Width (in)	Master Height (in)	Master Weight (lbs)
WINTER	80161	16	633749801616	10	10633749801613	20.5	6.0	5.0	4.3	100	20633749801610	21	12.5	26	53
	80181	18	633749801814	10	10633749801811	20.5	6.0	5.0	5.0	100	20633749801818	21.5	12.5	26	55
	80201	20	633749802019	10	10633749802016	22.5	6.0	5.0	5.3	100	20633749802013	23	12.5	26	60
	80221	22	633749802217	10	10633749802214	26.5	6.0	5.0	6.3	100	20633749802211	27	12.5	26	70
	80241	24	633749802415	10	10633749802412	26.5	6.0	5.0	6.4	100	20633749802419	27	12.5	26	70
	80261	26	633749802613	10	10633749802610	30.5	6.0	5.0	6.9	100	20633749802617	31	12.5	26	70
INT. REAR BLADE	18121	12A	633749181213	5	10633749181210	19.0	6.0	3.0	1.3	50	20633749181217	19.5	13.5	17	17
	18141	14A	633749181411	5	10633749181418	19.0	6.0	3.0	1.3	50	20633749181415	19.5	13.5	17	19
	18161	16A	633749181619	5	10633749181616	19.0	6.0	3.0	1.5	50	20633749181613	19.5	13.5	17	19
	18122	12B	633749181220	5	10633749181227	19.0	6.0	3.0	1.3	50	20633749181224	19.5	13.5	17	17
	18142	14B	633749181428	5	10633749181425	19.0	6.0	3.0	1.5	50	20633749181422	19.5	13.5	17	17
	18162	16B	633749181626	5	10633749181623	19.0	6.0	3.0	1.6	50	20633749181620	19.5	13.5	17	19
	18143	14C	633749181435	5	10633749181432	19.0	6.0	3.0	1.5	50	20633749181439	19.5	13.5	17	17
	18144	14D	633749181442	5	10633749181449	19.0	6.0	3.0	1.4	50	20633749181446	19.5	13.5	17	16
	18125	12E	633749181251	5	10633749181258	19.0	6.0	3.0	1.2	50	20633749181255	19.5	13.5	17	16
	18165	16E	633749181657	5	10633749181654	19.0	6.0	3.0	1.5	50	20633749181651	19.5	13.5	17	18
BEAM	17161	16	633749171610	5	10633749171617	23.0	3.0	5.5	1.8	50	20633749171614	23.5	11.5	16	18
	17171	17	633749171719	5	10633749171716	23.0	3.0	5.5	2.0	50	20633749171713	23.5	11.5	16	20
	17181	18	633719171818	5	10633749171815	23.0	3.0	5.5	2.0	50	20633749171812	23.5	11.5	16	20
	17191	19	633749171917	5	10633749171914	23.0	3.0	5.5	2.3	50	20633749171911	23.5	11.5	16	23
	17201	20	633749172013	5	10633749172010	26.0	3.0	5.5	2.5	50	20633749172017	26.5	11.5	16	25
	17211	21	633749172112	5	10633749172119	26.0	3.0	5.5	2.5	50	20633749172116	26.5	11.5	16	25
	17221	22	633749172211	5	10633749172218	26.0	3.0	5.5	2.5	50	20633749172215	26.5	11.5	16	25
	17241	24	633749172419	5	10633749172416	31.5	3.0	5.5	2.8	50	20633749172413	32	11.5	16	28
	17261	26	633749172617	5	10633749172614	31.5	3.0	5.5	2.8	50	20633749172611	32	11.5	16	28
	17281	28	633749172815	5	10633749172812	31.5	3.0	5.5	3.0	50	20633749172819	32	11.5	16	30
HYBRID	40161	16	633749401618	5	10633749401615	24.0	5.5	3.5	2.4	50	20633749401612	24.5	18.5	11.5	26
	40171	17	633749401717	5	10633749401714	24.0	5.5	3.5	2.5	50	20633749401711	24.5	18.5	11.5	29
	40181	18	633749401816	5	10633749401813	24.0	5.5	3.5	2.5	50	20633749401810	24.5	18.5	11.5	27
	40191	19	633749401915	5	10633749401919	24.0	5.5	3.5	2.8	50	20633749401919	24.5	18.5	11.5	30
	40201	20	633749402011	5	10633649402018	24.0	5.5	3.5	2.9	50	20633749402015	24.5	18.5	11.5	32
	40211	21	633749402110	5	10633649402114	31.0	5.5	3.5	3.2	50	20633749402114	31.5	18.5	11.5	35
	40221	22	633749402219	5	10633649402216	31.0	5.5	3.5	3.1	50	20633749402213	31.5	18.5	11.5	34
	40241	24	633749402417	5	10633649402414	31.0	5.5	3.5	3.5	50	20633749402411	31.5	18.5	11.5	38
	40261	26	633749402615	5	10633649402612	31.0	5.5	3.5	3.6	50	20633749402619	31.5	18.5	11.5	39
	40281	28	633749402813	5	10633649402810	31.0	5.5	3.5	3.8	50	20633749402817	31.5	18.5	11.5	41

	ITEM			CASE					MASTER					
	Part #	Type	Min Order/Case Qty	Case UPC	Case Length (in)	Case Width (in)	Case Height (in)	Case Weight (lbs)	Master Qty	Master UPC	Master Length (in)	Master Width (in)	Master Height (in)	Master Weight (lbs)
RACKS	WD08	8 Prong Pegboard/Wall rack	1	633749532428	24.0	9.5	2.5	5.0	60	10633749532425	25	10.5	14	14
	RDS100	16 Prong Double-sided Floor Rack with Wheels	1	633749532404	27.0	27.0	5.5	20.0						